

**Womens Health Service
PRE-OP AMBULATORY SURGERY ORDERS**

Check box to initiate order

ALLERGIC: NO YES _____

DATE/TIME MD SIGNATURE	PHYSICIAN'S ORDERS (excludes medication orders)	NOTED BY WHOM	DATE/TIME MD SIGNATURE	MEDICATION ORDERS (includes iv's bloods, blood components)	NOTED BY WHOM
	Admit to: Ambulatory Surgery			Patient Weight: _____	
	Admit Date:				
	Admit DX:		<input type="checkbox"/>	Prophylactic antibiotic are not indicated for:	
				Laparoscopic procedures (except hysterectomy),	
	Start IV as indicated by OR procedure			Hysteroscopy, endometrial bx and D&C	
	Vital Signs on admission				
	NPO				
				IV Prophylactic antibiotics to be administered on induction:	
				<input type="checkbox"/> Cefazolin (Ancef®) 2 g IV x 1	
	Pre -operative blood work (on admission):			OR	
	Diabetic patients: Finger-stick blood glucose			<input type="checkbox"/> Clindamycin (Cleocin®) 600mg IV x 1	
	Dialysis patients: I-stat Na, K, HCT		<input type="checkbox"/>	AND	
	<input type="checkbox"/> Urine HCG			Tobramycin IV x 1	
	Other:			Must select dose based on patient's weight:	
			<input type="checkbox"/>	99lbs-142lbs (45kg to 64kg)=120 mg	
			<input type="checkbox"/>	143lbs-164lbs (65kg to 74kg)=140mg	
			<input type="checkbox"/>	165lbs-186lbs (75kg to 84kg)=160mg	
			<input type="checkbox"/>	187lbs-208lbs (85kg to 94 kg)=180mg	
			<input type="checkbox"/>	209lbs-307lbs (95kg to 139kg)=200 mg	
			<input type="checkbox"/>	308lbs-363lbs (140kg to 165kg)=220mg	
				<input type="checkbox"/> For D&S procedure give oral antibiotic:	
				Doxycycline 100mg PO 1 hour pre op	
				<input type="checkbox"/> For Essure procedure: IV fluids, 250cc bolus ringers lactate	
				solution, followed by ringers lactate infusion at 200cc/hour	

PHYSICIAN'S ORDER FORM

6804

